

L Number	Hits	Search Text	DB	Time stamp
-	1	("6622156").PN.	USPAT;	2004/05/11 09:12
-	0	JP-07129498-\$.did.	US-PGPUB USPAT;	2004/05/11 09:17
-	2	JP-10285220-\$.did.	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	2004/05/11 09:16
-	0	JP-70129498-\$.did.	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	2004/05/11 09:25
-	42	(batch NEAR4 job) NEAR6 (identifier or "ID" or "IP") and @ad<20000315	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 09:34
-	457	((register\$3 or schedul\$3) NEAR4 (job or process)) NEAR8 ("ID" or identifier) and @ad<20000315	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 09:46
-	22	((register\$3 or schedul\$3) NEAR4 (job or process)) NEAR8 ("ID" or identifier) and @ad<20000315) and ("IP" adj2 address)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 09:41
-	127	((register\$3 or schedul\$3) NEAR4 (job or process)) NEAR8 ("ID" or identifier) and @ad<20000315) and ((multiple or plural\$3 or second) NEAR4 ("ID" or identifier))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 10:18
-	0	6606163.URPN.	USPAT	2004/05/11 09:59
-	2	(external and internal) NEAR8 ((job or process) NEAR3 ("id" or identifier)) and @ad<20000315	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 10:20
-	185	(manag\$3 or correlat\$4) NEAR5 ((job or process) NEAR3 ("id" or identifier)) and @ad<20000315	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 10:21
-	28	(multiple or two or second) NEAR4 (job NEAR2 ("id" or identifier)) and @ad<20000315	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 10:30
-	8511	schedul\$3 NEAR6 (job or process) and @ad<20000315	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 10:34
-	2	(schedul\$3 NEAR6 (job or process) and @ad<20000315) and ((client or user) NEAR3 (specify\$3 or indicat\$3) NEAR3 (job adj2 ("id" or identifier)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 10:36
-	7	(track\$3 or schedul\$3 or record\$3 or queue\$3) NEAR4 (job or process) NEAR3 ((identifier or "id") and "IP") and @ad<20000315	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 10:49

5/12/04

-	28	job NEAR4 inquiry NEAR4 status and @ad<20000315	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 10:58
-	1	job NEAR4 ("id" or identifier) NEAR6 ("IP" adj2 address) and @ad<20000315	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 10:54
-	1232	job NEAR4 (inquiry or status) and @ad<20000315	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 10:59
-	56	(job NEAR4 (inquiry or status) and @ad<20000315) and ((table or database) NEAR4 (job adj2 information))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 11:22
-	64	assign\$3 NEAR4 (job NEAR3 ("id" or identifier)) and @ad<20000315	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 15:07
-	21	(client and server) NEAR8 (job NEAR3 ("id" or identifier)) and @ad<20000315	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 11:54
-	23	(client or user) NEAR8 (assign\$3 or generat\$3) NEAR8 (job NEAR3 ("id" or identifier)) and @ad<20000315	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 12:11
-	4	job NEAR5 (status or inquiry) SAME ((job NEAR4 ("id" or identifier)) and "IP") and @ad<20000315	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 12:21
-	0	(track\$3 or monitor\$3) NEAR6 job NEAR4 (status or inquiry) NEAR6 ("ip" adj2 address) and @ad<20000315	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 12:23
-	0	(track\$3 or monitor\$3 or inqui\$3) NEAR6 (job NEAR4 (status or inquiry)) NEAR6 ("ip" adj2 address) and @ad<20000315	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 12:23
-	2	(track\$3 or monitor\$3 or inqui\$3) NEAR6 (job NEAR4 (status or inquiry)) SAME ("ip" adj2 address) and @ad<20000315	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 12:23
-	3	(job NEAR5 (client adj2 ("id" or identification))) and (job NEAR6 (server adj2 ("id" or identification))) and @ad<20000315	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 12:31
-	761	718/101,102.ccls. and @ad<20000315	USPAT; US-PGPUB	2004/05/11 14:18
-	73	(718/101,102.ccls. and @ad<20000315) and ((job or process) NEAR3 ("id" or identification))	USPAT; US-PGPUB	2004/05/11 14:07
-	0	(718/101,102.ccls. and @ad<20000315) and ((job or process) NEAR3 ("id" or identification) NEAR8 "IP")	USPAT; US-PGPUB	2004/05/11 14:08
-	0	(718/101,102.ccls. and @ad<20000315) and ((job or process) NEAR3 ("id" or identification) SAME "IP")	USPAT; US-PGPUB	2004/05/11 14:08

-	73	(718/101,102.ccls. and @ad<20000315) and ((job or process) NEAR3 ("id" or identification))	USPAT; US-PGPUB	2004/05/11 14:08
-	897	709/201.ccls. and @ad<20000315	USPAT; US-PGPUB	2004/05/11 14:19
-	0	(709/201.ccls. and @ad<20000315) and (job NEAR3 ("id" or identification) NEAR4 client)	USPAT; US-PGPUB	2004/05/11 14:19
-	723	(register\$3 or submit\$4) NEAR4 job and @ad<20000315	USPAT; US-PGPUB	2004/05/11 15:12
-	1656	(register\$3 or submit\$4) NEAR4 job and @ad<20000315	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 14:25
-	2	((register\$3 or submit\$4) NEAR4 job and @ad<20000315) and (client NEAR4 (assign\$3 or generat\$4) NEAR4 (job NEAR4 ("id" or identification)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 14:25
-	60	(register\$3 or submit\$4) NEAR4 job NEAR8 (job NEAR4 ("id" or identification)) and @ad<20000315	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 14:33
-	1346	"JCL" or (job adj2 control adj1 language) and @ad<20000315	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 14:34
-	7	("JCL" or (job adj2 control adj1 language) and @ad<20000315) and ((client or generat\$4 or assign\$3) NEAR6 (job NEAR3 ("id" or identification)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 14:37
-	38	(client or user) NEAR4 (assign\$3 or generat\$4 or creat\$3 or establish\$4) NEAR5 (job NEAR4 ("id" or identification))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 14:38
-	0	6622156.URPN.	USPAT	2004/05/11 14:47
-	18	("5796951" "5805884" "5862330" "5898835" "5978829" "6044394" "6065039" "6065040" "6112225" "6141681" "6182110" "6202080" "6282563" "6470375" "6477572" "6490611" "6493739" "6496872").PN.	USPAT	2004/05/11 14:47
-	742	(register\$3 or submit\$4 or send\$3 or schedul\$3) NEAR4 (job or task or process) NEAR4 ("id" or identification) and @ad<20000315	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 15:16
-	952	(register\$3 or submit\$4 or send\$3 or schedul\$3) NEAR4 ((job or task or process) NEAR6 ("id" or identification)) and @ad<20000315	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 15:17
-	687	(register\$3 or submit\$4 or send\$3 or schedul\$3) NEAR4 ((job or task or process) WITH ("id" or identification)) and @ad<20000315	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 15:17
-	2656	(register\$3 or submit\$4 or send\$3 or schedul\$3) WITH ((job or task or process) WITH ("id" or identification)) and @ad<20000315	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 15:17
-	41	((register\$3 or submit\$4 or send\$3 or schedul\$3) NEAR4 ((job or task or process) WITH ("id" or identification)) and @ad<20000315) and (job NEAR3 (status or inquiry))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 15:25

-	35	(client or user or request\$3) NEAR3 (provid\$3 or assign\$3 or creat\$4 or generat\$4 or send\$3) NEAR6 job NEAR3 ("id" or identification) and @ad<20000315	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 15:34
-	3	((job or task or process) NEAR2 (status or inquiry or query or enquiry)) NEAR4 ("IP" NEAR2 address) and @ad<20000315	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 15:37
-	4	((job or task or process) NEAR5 (status or inquiry or query or enquiry)) NEAR4 ("IP" NEAR2 address) and @ad<20000315	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 15:43
-	1	print NEAR3 (status or query or inquiry or enquiry) NEAR3 ("IP" NEAR2 address) and @ad<20000315	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 15:45
-	1	print NEAR6 (status or query or inquiry or enquiry) NEAR3 ("IP" NEAR2 address) and @ad<20000315	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 15:45
-	1	print NEAR10 (status or query or inquiry or enquiry) NEAR3 ("IP" NEAR2 address) and @ad<20000315	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 15:45
-	2	print NEAR10 (status or query or inquiry or enquiry) NEAR8 ("IP" NEAR2 address) and @ad<20000315	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 15:45
-	0	(print NEAR5 job) NEAR10 (status or query or inquiry or enquiry) NEAR8 ("IP" NEAR2 address) and @ad<20000315	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 15:53
-	18	(job or task or process) NEAR10 (status or query or inquiry or enquiry) NEAR8 ("IP" NEAR2 address) and @ad<20000315	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 15:53
-	18	(query or inquiry or enquiry or status) NEAR6 (print or job or task or process) NEAR6 ("IP") and @ad<20000315	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 16:42
-	101	(associat\$3 or correlat\$3 or relat\$3 or referenc\$3) NEAR5 (job or process or task) NEAR5 ("IP") and @ad<20000315	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/11 16:47
-	332	job NEAR6 (batch NEAR3 process\$4) and @ad<20000315	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 08:56
-	5494	"2" and (("id" or identifier) NEAR8 "IP")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 08:37
-	0	(job NEAR6 (batch NEAR3 process\$4) and @ad<20000315) and (("id" or identifier) NEAR8 "IP")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 08:33

-	1	(job NEAR6 (batch NEAR3 process\$4) and @ad<20000315) and (("id" or identifier) SAME "IP")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 08:34
-	57	(job NEAR6 (batch NEAR3 process\$4) and @ad<20000315) and (("id" or identifier) SAME ("IP" or address))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 08:34
-	991	batch NEAR6 job and @ad<20000315	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 08:37
-	9	(batch NEAR6 job and @ad<20000315) and (("id" or identifier) NEAR8 "IP")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 08:37
-	0	6633899.URPN.	USPAT	2004/05/12 08:55
-	13	("5329619" "5845090" "5920725" "5933816" "5960167" "6182154" "6185613" "6199204" "6247052" "6256676" "6324691" "6362836" "6417870").PN.	USPAT	2004/05/12 08:55
-	42	(job NEAR6 (batch NEAR3 process\$4) and @ad<20000315) and (("ID" or identifier) NEAR6 generat\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 09:02
-	76	(client or request\$3 or host or user) NEAR5 (submit\$4 or register\$3 or schedul\$3) NEAR5 ((job or order or transaction) NEAR4 ("ID" or identifier)) and @ad<20000315	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 09:30
-	142	(monitor\$3 or track\$3 or query or inquiry) NEAR8 (job or order or process or task) NEAR10 ("IP" or (computer NEAR3 address)) and @ad<20000315	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 09:40
-	3	(order NEAR4 status) NEAR6 IP and @ad<20000315	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 09:42
-	1661	(job or order or status) NEAR6 IP and @ad<20000315	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 09:42
-	66	(job or order) NEAR4 (inquiry or status) SAME IP and @ad<20000315	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 09:54
-	30	(job NEAR3 (number or reference) SAME IP) and @ad<20000315	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 10:02
-	72	(identify\$3 or tag\$3 or recogniz\$4) NEAR5 (job or order or task or process) NEAR8 IP and @ad<20000315	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 10:25
-	0	6622156.URPN.	USPAT	2004/05/12 11:02

-	18	("5796951" "5805884" "5862330" "5898835" "5978829" "6044394" "6065039" "6065040" "6112225" "6141681" "6182110" "6202080" "6282563" "6470375" "6477572" "6490611" "6493739" "6496872").PN.	USPAT	2004/05/12 11:02
-	38	submit\$4 NEAR5 (batch NEAR3 job) and @ad<20000315	USPAT; US-PGPUB	2004/05/12 11:11
-	4	return\$3 NEAR4 (job NEAR3 ("id" or identifier)) NEAR8 client and @ad<20000315	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 15:08
-	13	(return\$3 or send\$3) NEAR8 (job NEAR3 ("id" or identifier)) NEAR8 client and @ad<20000315	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 15:11
-	82	(return\$3 or send\$3) NEAR8 (job NEAR3 ("id" or identifier)) and @ad<20000315	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 15:11
-	69	((return\$3 or send\$3) NEAR8 (job NEAR3 ("id" or identifier)) and @ad<20000315) not ((return\$3 or send\$3) NEAR8 (job NEAR3 ("id" or identifier)) NEAR8 client and @ad<20000315)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/12 15:12